

व्यावसायिक परीक्षण रिपोर्ट

COMMERCIAL TEST REPORT (Supplementary)

संख्या / No. : T-1001/1525/2016

माह / Month : January, 2016

LIBRARY REFERENCE COPY

Library Reference Copy
Not For Sale



EICHER, EICHER 380 TRACTOR

(To be read in conjunction with the test report bearing No.T- 462/919/2002)



सत्यमेव जयते

भारत सरकार

कृषि एवं किसान कल्याण मंत्रालय

(कृषि, सहकारिता एवं किसान कल्याण विभाग)

GOVERNMENT OF INDIA

MINISTRY OF AGRICULTURE AND FARMERS WELFARE

(DEPARTMENT OF AGRICULTURE, CO-OPERATION AND FARMERS WELFARE)

केन्द्रीय कृषि मशीनरी प्रशिक्षण एवं परीक्षण संस्थान

ट्रैक्टर नगर, बुदनी (म.प्र.) ४६६ ४४५

CENTRAL FARM MACHINERY TRAINING & TESTING INSTITUTE

(An ISO : 9001 - 2008 Certified Institute)

Tractor Nagar, Budni (M.P.) 466 445

E-mail fmti-mp@nic.in

Website : <http://cfmtti.dacnet.nic.in>

Telephone : 07564 - 234729

Fax : 07564 - 234743



T- 1001/1525/2016

EICHER, EICHER 380 TRACTOR - Commercial (Supplementary)

- Specification checking

- Nominal speed test
 - With 12.4-28 (standard tyre fitment with recommended rim as per IS13154/ITTAC manual)
 - With 13.6-28 (optional tyre fitting with recommended rim as per IS13154/ITTAC manual)
- PTO performance test under natural and high ambient condition

2. FUEL AND LUBRICANTS

2.1 Fuel : The High-speed diesel oil supplied by M/s Indian Oil Corporation Limited having density of 0.836 g/cc at 15°C was used.

2.2 Lubricants:

S. No.	Particulars	As recommended by the manufacturer	As used during the test
1.	Engine & air cleaner oil	15 W 40	15 W 40
2.	Transmission ,Steering housing & Hydraulic system	SAE-90	SAE-90
3.	Grease	MP Grease	MP Grease

3. ESSENTIAL TESTS**3.1. SPECIFICATIONS**

	<u>Previous sample</u>	<u>Present sample</u>
3.1.1 Tractor:		
Make	: Eicher	Eicher
Model	: Eicher 380	Eicher 380
Brand name	: None	None
Type	: Four wheel, Rear-wheel drive, Agricultural Tractor	drive, General Purpose,
Year of manufacture	: 2001	2014
Chassis Serial number	: 170 131 000 02	922 813 118 433
Country of Origin	: India	India
3.1.2 Engine:		
Make	: Simpson	Simpson
Model	: S -325/E1	T III A S 325/ E1-F2.5
Serial number	: S-325 572 36	S 325 G21 185
Engine speed (Manufacturer's recommended production setting)(rpm) :		
- Maximum speed at no load	: 2275 to 2425	2400
- Low idle speed	: 600 to 800	600 to 800
- Speed at maximum torque	: 1200 to 1600	1200 to 1600
Rated speed, (rpm):		
- For PTO use	: 2150	2150
- For drawbar use	: 2150	2150



T- 1001/1525/2016 EICHER, EICHER 380 TRACTOR - Commercial (Supplementary)

4. ADJUSTMENTS, DEFECTS, BREAKDOWNS AND REPAIRS

S. No.	Adjustment/Defect/Breakdown and Repairs	Tractor run hours
-NONE-		

5. SUMMARY OF OBSERVATIONS, COMMENTS & RECOMMENDATIONS

5.1 On the basis of test conducted the performance results have been summarized as evaluative (mandatory) and non – evaluative (not mandatory) parameters applicable for qualifying Minimum Performance Criteria as per clause-4 table-1 of Indian Standard 12207: 2014 for acceptance of tractor for the purpose of subsidies/NABARD financing for the applicable features for this tractor model.

Sl. No.	Characteristic	Category (Evaluative / Non Evaluative)	Requirements as per IS: 12207-2014	Values declared by the applicant/ requirement		As observed		Whether present model meets the requirements (Yes/No.)
				Previous sample	Present sample	Previous sample	Present sample	
1	2	3	4	5 a	5 b	6 a	6 b	7
5.1.1 PTO Performance :								
a)	- Max. power under 2 h test, (kW) (Natural ambient condition)	Evaluative	Declared value to be achieved with a tolerance of: -5 / +10% for PTO power >26 kW. -7.5/+10% for PTO power ≤ 26 kW or -5 / +10% for engine power >26 kW. -7.5/+10% for engine power ≤ 26 kW	25.8	25.8	26.8	25.9	Yes
b)	Power at rated engine speed, (kW)	Non Evaluative	-do-	25.8	25.8	26.7	25.9	Yes
c)	Specific fuel consumption corresponding to maximum power, (g/kWh)	Non Evaluative	± 5%	252	265	245	273	Yes
d)	Maximum equivalent crankshaft torque, (Nm)	Non Evaluative	± 8%	135.3 (D)	135.3 (D)	138.9	140.2	Yes
e)	Back-up torque, percent	Non Evaluative	10 percent, min.	15.9 (D)	15.0 (D)	15.9	21.7	Yes
f) Maximum operating temperature (°C)								
	1) Engine oil	Non Evaluative	The declared value should not exceed the max. value specified by the oil company and the observed value under high ambient condition should not exceed the declaration.	125	135	107	126	Yes
	2) Coolant (water)	Evaluative	The declared value should not exceed the boiling temperature of coolant under the pressurized or otherwise and the observed value under high ambient condition should not exceed the declaration.	105	115	98	98	Yes
g)	3) Engine oil consumption, (g/kWh)	Evaluative	Not exceeding 1% of SFC at max. power under High ambient conditions	2.7 (R)	2.65 (R)	0.08	1.20	Yes
h)	4) Smoke level	Evaluative	Maximum light absorption coefficient of 3.25 per metre or equivalent BOSCH No. 5.2 or 75 Hatridge value (As per CMVR)	3.25 per metre (R) 0.20 (D)	3.25 per metre (R) 0.20 (D)	2.5	0.26	Yes



plementary)

T- 1001/1525/2016 EICHER, EICHER 380 TRACTOR - Commercial (Supplementary)

run hours

NS
as evaluative
for qualifying
07: 2014 for
e applicable

Whether present model meets the requirements (Yes/No.)	7
Yes	
Yes	
Yes	
Yes	
Yes	
Yes	
Yes	
Yes	

1	2	3	4	5	6	7
5.1.2	Safety features :					
a)	Guards against moving and hot parts	Evaluative	Belt drives, pulley, silencer, hydraulic pipes (As per IS 12239 (part 2))	--	Provided	Yes
b)	Lighting arrangement (Tractor having more than 1150 mm rear track width)	Evaluative	As per CMVR	--	Provided	Yes
c)	Seating requirement (Tractors having more than 1150 mm rear track width)	Non-Evaluative	Should meet the requirements of IS 12343 (as amended from time to time)	--	Meets the requirement	Yes
d)	Technical requirements for PTO shaft	Non-Evaluative	Should meet the requirements of IS 4931 (as amended from time to time)	--	Does not meet the requirement	No
e)	Dimension of three point linkage	Non-Evaluative	Should meet the requirements of IS 4468 (part 1) (as amended from time to time)	--	Does not meet the requirement	No
f)	Specification of linkage and swinging drawbars	Non-Evaluative	Should meet the requirements of IS 12953 and IS 12362 (part 3) (as amended from time to time)	--	Does not meet the requirement	No
5.1.3	Labeling of tractors (Provision of labeling plate):					
1)	Make	Evaluative	Should conform to the requirements of CMVR along-with declared value of PTO HP	--	Eicher	Yes
2)	Model	Evaluative		--	380	Yes
3)	Year of manufacture	Evaluative		--	2014	Yes
4)	Engine number	Evaluative		--	S325G21185	Yes
5)	Chassis number	Evaluative		--	922813118433	Yes
6)	Declaration of PTO power, kW	Evaluative		--	25.8	Yes
5.1.4	Literature (Submission to test agency)					
(a)	Operator manual	Evaluative	Provided/ Not Provided	As per relevant IS Code (IS 8132)	Provided	Yes
(b)	Parts Catalogue	Evaluative	Provided/Not Provided	As per relevant IS Code (IS 8132)	Provided	Yes
(c)	Workshop/ Service manual	Evaluative	Provided/Not Provided	As per relevant IS Code (IS 8132)	Provided	Yes

5.2 Salient Observations:

5.2.1 Laboratory tests:

5.2.1.1 PTO Performance:

- i) The maximum backup torque was observed as 21.7 %.
- ii) The maximum power in case of previous & present sample was observed as 26.8 & 25.9 kW respectively against the declaration of 25.8 kW, which is within the tolerance limit specified in IS: 12207-2014?

5.2.1.2 Location and operation of operator's control:

- i) The fuel shut-off lever does not remain in stop position

5.2.1.5 Three point linkage:

Some of the parameters of three point linkage conform to Cat. I and some of them conform to Cat.II. Keeping in view the spirit of standardization, necessary improvement may be incorporated.



T- 1001/1525/2016	EICHER, EICHER 380 TRACTOR - Commercial (Supplementary)
-------------------	---

- 5.3 Maintenance / Service Problems:**
No noticeable maintenance or service problem was observed during the test. However, suitable provision for draining the sediments/water may be provided at the fuel tank.
- 5.4 Recommendation with regard to safety on tractor:**
The following requirements, inter alia, may be considered for incorporation on the tractor:
- Provision for spark arresting device in exhaust system.
 - Provision of differential lock.
 - Provision of power take-off master shield.
 - The fuel shut-off lever does not remain in stop position
 - The working clearance between the position and draft control lever may be provided as per IS: 12239 (Part-2) – 1999.
- 5.5 Adequacy of Literature supplied with machine:**
- 5.5.1** Literature was supplied with the tractor for reference during the test.
- Operator's manual
 - Parts catalogue
 - Service Manual
- 5.5.2** The supplied literature was found adequate; however, these literatures should be brought out in other vernacular languages of India for guidance of users.

6. CITIZEN CHARTER

Duration of Test	Time frame for Testing & Evaluation as per Citizen Charter	Whether the Test Report is released within the time frame given in Citizen Charter	Remarks
December , 2015	10 Months	Yes	None

TESTING AUTHORITY:

P.C MESHARAM
SENIOR AGRICULTURAL ENGINEER

C. R LOHI
DIRECTOR

Test report compiled by Mr. Chanchlesh Singh Raghuwanshi, Senior Technical Assistant

7. APPLICANT'S COMMENTS

Para No.	Our Reference	Applicant's comments
8.1	6.2,1.5 & 6.3	These are being looked into and will be incorporated accordingly.
8.2	6.4	Recommendations are being looked into w.r.t. design, development & implementation.

ANNEXURE-I

TRACTOR RUN HOURS DURING TEST

A.	LABORATORY AND TRACK TESTS	HOURS
1.	Running -in	--
2.	PTO Performance Test	6.6
3.	Theoretical speed test	0.5
B.	Miscellaneous test and other run hours, including idle run transportation, trial and preparation for test.	0.5
	Total	7.6