LIBRARY REFERENCE COPY

व्यावसायिक परीक्षण रिपोर्ट COMMERCIAL TEST REPORT (Supplementary Test) संख्या / No. : T-1012/1536/2016 माह / Month : March, 2016



INTERNATIONAL TRACTORS LIMITED, SONALIKA INTERNATIONAL DI-20 GARDENTRAC TRACTOR



भारत सरकार

कृषि एवं किसान कल्याण मंत्रालय (कृषि, सहकारिता एवं किसान कल्याण विभाग)

GOVERNMENT OF INDIA
MINISTRY OF AGRICULTURE AND FARMERS WELFARE

(DEPARTMENT OF AGRICULTURE, CO-OPERATION AND FARMERS WELFARE)

केन्द्रीय कृषि मशीनरी प्रशिक्षण एवं परीक्षण संस्थान ट्रैक्टर नगर, बुदनी (म.प्र.) ४६६ ४४५

CENTRAL FARM MACHINERY TRAINING & TESTING INSTITUTE (An ISO: 9001 - 2008 Certified Institute)

Tractor Nagar, Budni (M.P.) 466 445

E-mail fmti-mp@nic.in

Website: http://cfmtti.dacnet.nic.in

Telephone: 07564 - 234729 Fax: 07564 - 234743

T- 1012/1536/2016

INTERNATIONAL TRACTORS LIMITED, SONALIKA INTERNATIONAL DI-20 GARDENTRAC TRACTOR - Commercial (Supplementary Test)

: M/s. International Tractors Ltd.

Village - Chak Gurjan,

P.O.- Piplanwala, Jalandhar road, Distt. HOSHIARPUR –146022

(PUNJAB)

Test requested by (applicant)

: The manufacturer : The manufacturer

Selected for test by Place of running-in

Manufacturer

: At manufacturer's works

Duration of said running-in (h):

- Engine

: 35

- Transmission

: Nil

Method of Selection

: The tractor was submitted directly by the applicant for test. Hence, method of selection is

not known.

2. FUEL AND LUBRICANTS

2.1 Fuel

d

as as he ent ed

ted 14;

vith

was

sed No-

108..

 The High-speed diesel oil supplied by M/s Indian Oil Corporation Limited having density of 0.836

g/cc at 15°C was used.

2.2 Lubricants:

S. No.	Particulars	As recommended by the manufacturer	As used during the test	
1.	Engine oil	SAE 20W40	SAE 20W40	
2.	Transmission, differential Rear axle front axle, brake, steering & hydraulic systems	15W40	15W40	
3.	Grease	EP 80	Oil originally filled in the tractor was not changed	
4.	Coolant	EP 80	-do-	

3. ESSENTIAL TESTS

3.1 SPECIFICATIONS

3.1.1	Tractor:		Previous sample	Present sample		
	Make	5	International Tractors Limited			
	Model	:	Sonalika International DI-20 Gardentrac			
	Brand name	:	Sonalika (apa)	Sonalika (apa)		
	Type	:	Four wheeled, Four who	eel drive, Agricultural Tractor		
	Year of manufacture	:	HW (June, 2011)	2011		
	Chassis number	:	HZWSW249042/5	KMGSW265252G		
	Country of origin	:	India,	India (


T- 1012/1536/2016

INTERNATIONAL TRACTORS LIMITED, SONALIKA INTERNATIONAL DI-20 GARDENTRAC TRACTOR - Commercial (Supplementary Test)

6. SUMMARY OF OBSERVATIONS, COMMENTS & RECOMMENDATIONS

6.1 Evaluative (mandatory) / Non-evaluation (Non-mandatory) parameter applicable for qualifying Minimum Performance criteria as per Clause-4 (Table-1) of IS: 12207-2014 for acceptance of the tractor for the purpose of subsidies/NABARD financing are summarized as under:

S. No.	C	haracteristic	Category (Evaluative	Requirements as per IS:			As observed		Whether meets the require-
			/ Non	12207-2014	Previous	Presen	100000000000000000000000000000000000000	Present	ments
6.1.1	PT	O Performan	Evaluative)		Sample	sample	Sample	sample	(Yes/No.
a)	- M unites (Na am cor	fax. power der 2 h t, (kW) atural ibient indition)	Evaluative	Declared value to be achieved with a tolerance of: -5 / +10% for PTC power > 26 kW7.5/+10% for Engline power > 26 kW	10.3	10.3	10.5	10.2	Yes
b)	con	ecific fuel sumption responding to ximum power, (Wh)	Non Evaluative	± 5%	323	323	327	339	Yes
6.1.2		etland cultiv	ation :				-		
	Sealing for the following assemblies:		Evaluative	oboudel	manufactu ndec	Recomme nded for wetlan	Recom-	No ingress of mud/or water was	
	1)	Clutch assembly	-do-	the requirement of IS: 11082. No	nded that (Pu	(Puddling operation)	wetland duricultivation (puddling operation) wet cultivation (puddling operation)	noticed during	Yes
	2)	Brake housings	-do-	water ingress in the identified assembly given		operation).		Recomme nded for	
	3)	Front axle hubs	-do-	in column-2. If tractor does not meet the	for wetland cultivation			wetland cultivation	
	4)	Engine oil	-do-	requirements of	(Puddling			(puddling operation)	
- 11	5)	Transmiss ion oil	-do-	wetland cultivation, it may be recommended for dry land	opera- tion)			operation	
6.1.3	Lat	elling of tra	actors:	operation only.					
	1)	Make	Evaluative		International Tractors Ltd Sonalika International DI- 20 Gardentrac HW (June, 2011)		Tractors Ltd Sonalika International DI- 20 Gardentrac 2011		Yes
	2)	Model	Evaluative						Yes
	3)	Year of manufact ure	Evaluative						Yes
	4)	Engine number	Evaluative						Yes
	5)	Chassis number	Evaluative	*		HZWSW 249042/5		HMGSW265252 G	
	6)	Declaratio n of PTO power, kW (hp)	Evaluative		10.30 (THE RESERVE OF THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN COLUMN TW	10.30 (13		/es



INTERNATIONAL TRACTORS LIMITED, SONALIKA INTERNATIONAL DI-20 GARDENTRAC TRACTOR - Commercial (Supplementary Test)

6.3 Salient Observations:

6.3.1 Laboratory tests:

6.3.1.1 PTO Performance:

- The maximum power in case of previous & present sample was observed as 10.5 kW & 10.2 kW respectively against the declaration of 10.3 kW which is within the tolerance limit specified in IS: 12207-2014.
- The specific fuel consumption corresponding to maximum power in case of previous & present sample was observed as 327 g/kWh & 339 g/kWh respectively against the declaration of 323 g/kWh which is within the tolerance limit specified in IS: 12207-2014. This is considered on higher side for this power range of tractor.

6.3.1.2 Three point linkage:

The following dimensions of three point linkage does not meet the requirement of IS: 4468 (Part-2) -1993. This should be looked into for necessary corrective action.

- The diameter of hitch pin hole of upper hitch points.
- Distance from end of power take-off shaft to centre of lower hitch point (lower links in horizontal position).
- iii) Transport height, power / movement range and leveling adjustment range.
- iv) Some of the parameters of three point linkage conform to Category-I N and some of them conform to Category-I. In view of the spirit of standardization, necessary improvement may be incorporated.

6.3.1.3 Linkage drawbar:

Dimension "DØ" (Refer Fig.1) of linkage drawbar does not meet the requirement of IS: 12953-1990. This should be looked into for necessary corrective action.

6.3.1.4 Specifications of Power Take-off Shaft:

The dimension "dØ" (See Fig. 2) of PTO shaft does not meet the requirement of IS: 4931:1995, this should be looked into for compliance.

6.3.1.3 Operator's Seat:

- i) The width of operator's seat was observed as 400 mm against the requirement of 450 (minimum)' mm as per IS: 12343-1998. This should be looked into for necessary corrective action.
- ii) Longitudinal adjustment forward and rearward from the mid position.

6.3.2 Field Performance:

6.3.2.1 Wet land cultivation (Puddling operation) :-

There is no ingress of water and /or mud was observed after the wetland operation at specified assemblies as per IS: 11082:1982. Therefore, the tractor is considered suitable for wetland cultivation (Puddling operation).

6.4 Recommendation with regard to safety on tractor:

The following requirements, inter alia, may be considered for incorporation on the tractor:

- Provision of safety against accidental start of engine.
- ii) Provision of spark arresting device in the exhaust system.
- iii) Provision for Master shield for PTO shaft.
- iv) Provision of front tow hook.
- v) The working clearance between the high-low range shifting lever engage in high position and bottom of seat base has does not meet the requirement of the IS: 12239 (Part-2)-1996. This should be looked into for necessary corrective action.
- vi) Symbols for engine oil pressure gauge, grease lubricant frequency ,oil lubricant ,type and frequency & color code for engine oil pressure gauge may be provide as per requirements of IS:6283 (Part I & II) 1998.

- INTERNATIONAL TRACTORS LIMITED, SONALIKA INTERNATIONAL DI-20 GARDENTRAC TRACTOR - Commercial (Supplementary Test)
- Maintenance / Service Problems: 6.5

No noticeable maintenance or service problem was observed during the test.

- Adequacy of Literature supplied with machine: 6.6
- The following literature was supplied with the tractor for reference during the 6.6.1 testing.
 - Operator Manual in respect of SONALIKA INTERNATIONAL DI-20 i) GARDENTRACtractor.
 - Parts Catalogue in respect of SONALIKA INTERNATIONAL DI-20 ii) GARDENTRACtractor.
 - Service Manual in respect of SONALIKA INTERNATIONAL DI-20 iii) GARDENTRACtractor.
- The literatures should also be brought out in national as well as other regional 6.6.2 languages for the guidance of users and service personnel.

7. CITIZEN CHARTER

Time frame for Testing & Evaluation as per Citizen Charter	Duration of Test	Whether the Test Report is released within the time frame given in Citizen Charter	Remarks
10 Months	8 Months (July, 2015 to March, 2016)	Yes	None

TESTING AUTHORITY:

PRAMOD YADAV AGRICULTURAL ENGINEER

PARDIPKUMAR C. MESHRAM SENIOR AGRICULTURAL ENGINEER

C.R.LOHI DIRECTOR

8. APPLICANT'S COMMENTS

Para No.	Our Reference	Applicant's comments
		-None-