व्यावसायिक प्रशासनिक विस्तार परीक्षण रिपोर्ट संख्या / No. : T-1469/1996/2020 COMMERCIAL ADMINISTRATIVE EXTENSION (Test Report)

माह / Month: August, 2020



JOHN DEERE 5036D V2 TRACTOR



भारत सरकार

कृषि एवं किसान कल्याण मंत्रालय

कृषि, सहकारिता एवं किसान कल्याण विभाग मशीनीकरण एवं प्रौद्योगिकी प्रभाग

GOVERNMENT OF INDIA MINISTRY OF AGRICULTURE AND FARMERS WELFARE

(Department of Agriculture, Cooperation & Farmers Welfare, Mechanization & Technology Division) केन्द्रीय कृषि मशीनरी प्रशिक्षण एवं परीक्षण संस्थान ट्रैक्टर नगर, बुदनी (म.प्र.) ४६६ ४४५

CENTRAL FARM MACHINERY TRAINING & TESTING INSTITUTE (An ISO: 9001 - 2015 Certified Institute)

Tractor Nagar, Budni (M.P.) 466 445

E-mail fmti-mp@nic.in

Website: http://www.fmttibudni.gov.in

Telephone: 07564 - 234729, 234743



T- 1469/1996/2020

JOHN DEERE 5036D V2 Tractor-Commercial (Administrative Extension)

1. SCOPE OF TEST

The "John Deere 5036D V2" tractor had undergone "Commercial (Variant) Test" at this Institute vide test report No. T- 1196/1723/2018 released in November, 2018.

Now, the firm has added following optional features in the technical specifications of tractor and requested vide letter no. Nil dated: 05.06.2020, for Administrative Extension of "John Deere 5036D V2" as per IS: 12207-2019.

The major features of Standard and Optional Fitment are listed below:

| S.No. | Parameters | Specifications | | |
|-------|-------------------|------------------|------------------|--|
| | | Standard Fitment | Optional Fitment | |
| 1. | Water separator | Provided | Not provided | |
| 2. | Differential lock | Provided | Not provided | |
| 3. | Rear drive wheel: | | | |
| | Size & Ply rating | 12.4 - 28 & 12 | 13.6-28 & 12 | |

Subsequent to the examination of the case in the light of clause 3.2.4 and Sr. No. (v) of clause 8.1.2 of IS: 12207 - 2019, the request of the applicant for addition of above optional features has been accepted and the Test report is released as under.

The applicant informed that the last cut off chassis and engine number of tractor model

"John Deere 5036D V2" generated on production line as under:-

| Parameters Modified | Manufacturing Plant | Chassis Number | Engine Number |
|---|---------------------|-------------------|---------------|
| Water separator, Differential lock & | Pune (M.S.) | 1PY5036DVLA008403 | PY3029D578124 |
| Rear drive wheel | Dewas (M.P.) | 1VY5036DJLA010594 | PY3029D575241 |

Manufacturer

: M/s. John Deere India Pvt. Ltd.

Gat No. 166 - 167 & 271 - 291, Off Pune-Nagar Road, Sanaswadi,

Pune - 412 208 (M.S.)

Location of other manufacturing plant

 i) M/s. John Deere India Pvt. Ltd. Gat No. 166 - 167 & 271 - 291.

Off Pune-Nagar Road, Sanaswadi,

Pune - 412 208 (M.S.)

M/s. John Deere India Pvt. Ltd. Survey No.501, Village-Khatamba

Jamgod, Dewas Bhopal Highway,

Dewas (M. P.) 455115

Test requested by (applicant)

The manufacturer

2. ESSENTIAL TESTS

2.1. SPECIFICATION

The following are the brief specifications of the tractor. However, for detail specifications of the tractor, the test report No. T- 1196/1723/2018 (November, 2018) and T-1319/1846/2020 (March, 2020) should be referred.

2.1.1 Tractor:

Make : John Deere Model : 5036D V2 Brand name : None

Type : Four wheeled, rear wheel driven, unit

construction, General purpose, Agricultural Tractor

Country of Origin : India

T- 1469/1996/2020

JOHN DEERE 5036D V2 Tractor-Commercial (Administrative Extension)



2.1.12 Wheel Equipment:-2.1.12.1 Steering Wheel (s):

Make : Apollo krishak

Number(s) : Two

Type of tyre : Pneumatic, ribbed Size & ply rating : 6.00-16 & 08 Make & size of rims : WILP & 4.50E x 16

2.1.12.2 Drive wheel (s):

Make

Standard Fitment Optional Fitment

Apollo krishak

Two

Number : Type of tyre :

Pneumatic, traction

12.4-28 & 12

13.6-28 & 12

Make & size of wheel rim

Size & Ply rating

WILP & W11 x 28

2.2 NOMINAL SPEED TEST

| Movemen t | Gear No. | The state of the s | Nominal speed at rated engine speed when fitted with 12.4-28 size tyre of 590 mm radius index, (kmph) | Computed nominal speed a rated engine speed wher fitted with 13.4-28 size tyre o 610 mm radius index, (kmph) | |
|--------------|-------------|--|---|--|--|
| | | | With Standard Fitment (*) | With Optional Fitment | |
| | A1 | 149.50 | 2.72 | 2.81 | |
| | A2 | 101.60 | 3.99 | 4.13 | |
| | A3 | 65.27 | 6.25 | 6.46 | |
| F | A4 | 41.27 | 9.86 | 10.19 | |
| Forward | B1 | 49.54 | 8.27 | 8.55 | |
| | B2 | 33.64 | 12.10 | 12.51 | |
| | B3 | 21.58 | 18.97 | 19.61 | |
| | B4 | 13.67 | 29.90 | 30.91 | |
| | R1 | 113.66 | 3.59 | 3,71 | |
| Daverse | R2 | 77.33 | 5.26 | 5.44 | |
| Reverse | R3 | 49.52 | 8.21 | 8.49 | |
| | R4 | 31.42 | 12.99 | 13.43 | |

Remark (*):- Data has been taken from Commercial Variant Test Report of John Deere, 5036D V2 Tractor model bearing test report No. T- 1196/1723/2018 released in November, 2018.

3. SUMMERY OF OBSERVATIONS, COMMENTS & RECOMMENDATIONS

3.1 Salient Observations:

Optional features on this tractor model have been provided as per IS: 12207-2019.



T- 1469/1996/2020

JOHN DEERE 5036D V2 Tractor-Commercial (Administrative Extension)

4. CITIZEN CHARTER

| Time frame for Testing & Evaluation as per Citizen Charter | Duration of Test | Whether the Test Report is released within the time frame given in Citizen Charter | |
|--|---------------------------|--|------|
| 10 Months | 01, Month (July, 2020) | Yes | None |

TESTING AUTHORITY:

RAJNEESH PATEL AGRICULTURAL ENGINEER C.V. CHIMOTE TEST ENGINEER

J.J.R. NARWARE DIRECTOR

Test report compiled by Smt. Poonam Khurasia, Senior Technical Assistant.

5. APPLICANT'S COMMENTS

-Nil--